
Analysis of meteors precipitation using ionospheric back-scatter radar


H. C. Aveiro(1,2), L. P. Moor(1,2), C. M. Denardini(3), M. A. Abdu(3) and N. J. Schuch(1)


(1) Centro Regional Sul de Pesquisas Espaciais, Santa Maria, Brazil, (2) Universidade Federal de Santa Maria, Santa Maria, Brazil, (3) Instituto Nacional de Pesquisas Espaciais, São José dos Campos, Brazil

(aveiro@lacesm.ufsm.br / Fax: +55 55-32208021 / Phone: +55 55-32208007)

A 50 MHz coherent back-scatter radar, also known by the anachronism RESCO, has been operated since 1998 at São Luís Space Observatory (2.33° S, 44.2° W, DIP: -0.5) near the dip equator. The main purpose of RESCO is to study the equatorial electrojet dynamics through spectral analyses of the received echoes that allow us to identify the dominant type of plasma instabilities and its drift speed in the electrojet. Using the RESCO radar we are also able to collect data from reflection of the transmitted signal caused by meteor trail, generally observed at about 100 km of altitude. The energy received in the reflection process is higher than that expected by the back-scatter in the equatorial electrojet irregularities. So, even during the presence of plasma irregularities it is possible to observe echoes from meteor trail. To characterize the presence of meteor reflection over the equatorial electrojet plasma irregularities data, it was developed a methodology of detection of "meteor" echoes due to reflection in meteor trail. In this paper, we analyze the presence of meteors deduced from the presence of their echoes in the equatorial electrojet heights and discuss the methodology of meteors detection in the 50 MHz coherent back-scatter radar data.







COSPAR 2006 Página 1 de 2

Poster Program - C2.4 Meteor Science and Techniques: Composition, Sources, Sinks, and Global Distribution of Meteoric Metals

Please, click Abstract Number to find the corresponding abstract as PDF file. Any abstract may be freely reproduced for non-commercial, scientific purposes; however, the moral right of the author(s) to be identified as the author(s) of such abstracts is asserted.

MSO: Palo, S. DO: Janches, D.

Co-Sponsorship: URSI, IAGA, IAU

Author in Attendance: Tuesday, 18 July 2006 14:00 - 15:30

Display Time: Monday, 17 July 2006 08:00 -

Saturday, 22 July 2006 19:00

Poster Area: Poster Area 1 (BIT-TC)

Chairperson: PALO, S.E.

TC1- COSPAR2006-A-00388; C2.4-0014-06

0168 Wu, G.J.

How to estimate the affect of an intense meteor (cancelled)

TC1- COSPAR2006-A-01176; C2.4-0015-06

0169 Koten, P.; Spurny, P.; Borovicka, J.; Abe, S.

Remote control video camera for meteor observations

TC1- COSPAR2006-A-01351; C2.4-0016-06

0170 **Fussen, D**; THE GOMOS TEAM

A 2002-2005 climatology of the global mesospheric sodium layer measured by the

GOMOS instrument

TC1- COSPAR2006-A-01509; C2.4-0017-06

0171 **Kang, C**; Palo, S

A MATLAB-based planar array design assistant package with applications to meteor

radar systems

TC1- COSPAR2006-A-01638; C2.4-0018-06

0172 Aveiro, H. C.; Moor, L. P.; Denardini, C. M.; Abdu, M. A.; Schuch, N. J.

Analysis of meteors precipitation using ionospheric back-scatter radar

TC1- COSPAR2006-A-03142; C2.4-0019-06

0173 Abe, S.; Nakamura, T.; Watanabe, J-I.; Tsutsumi, M.; Fujiwara, Y.; Ueda, M.;

Yamamoto, M-Y.; Mukai, T.

MU radar observation of the strong activity of 2006 Quadrantids

TC1- COSPAR2006-A-03192; C2.4-0020-06

0174 Waldemarsson, T.; Gumbel, J.; Stegman, J.; Plane, J.M.C

Satellite Observations of Mesospheric Potassium

COSPAR 2006 Página 2 de 2

- TC1- COSPAR2006-A-03450; C2.4-0021-06
- 0175 Lau, E.; limura, H.; Palo, S.; Avery, S.; Avery, J.; Kang, C.; Makarov, N. An intercomparison of meteor radar measurements using two different processing systems