



Dynamical Assignment of Priorities to Operations for Planning Multiple Satellite Control

Adriana Carniello*, Andreia Carniello†, Maurício G. V. Ferreira‡, José Demisio S. da Silva§ and Luciana S. Cardoso¶
National Institute for Space Research, São José dos Campos, SP, 12227-010, Brazil

Controlling multiple space missions requires planning ground resources utilization and the operations to be uploaded to satellites. Planning is crucial to avoid time conflicts among multiple trackings by the same ground station, and to assure the uploading of relevant operations to the satellite to achieve the tracking goals. If no conflict occurs among multiple trackings, the ground station tracks the entire satellite pass. Thus, an automatic planning system may plan the operations to achieve all the goals during the satellite pass. If a conflict occurs, the least priority satellite has its tracking period reduced. Some operations are cancelled to adjust the plan to the reduced tracking period. Therefore, controlling multiple satellites requires planning the ground resource utilization and allowing the generation of the operation plan in a configurable way according to the satellite tracking time-window and the operations' relevance. MASOP architecture (*Multi-Agent Space Operation Planning*) realizes the above solution by distributing the tasks among software agents.

I. Introduction

IN the field of satellite control, there is a general interest in automating the space operation planning and execution. The automation of space operations represents a way of reducing in-orbit satellite maintenance costs.

By adopting the ideas proposed in this work, we intend to keep the number of personnel responsible for satellite control towards the project of new satellites. The aim is to be able to come up with a solution to fit Space Program budgets concerning the launching of new satellites.

The automation described in this work is strongly concerned with the task of controlling multiple satellites, dealing with temporal restrictions as well as the sharing of ground resources, and managing the conflicts that may arise. Ground resources consist of ground stations where the antennas which capture satellite signals are located. A satellite is visible to a ground station during a limited period of time (time window) called the satellite visibility period.

Due to the fact that satellites share the use of ground stations, the visibility period of one satellite may conflict with the visibility period of another. When this situation takes place, the visibility period conflicting part of the satellite with less priority must be cancelled.

A relevant issue in managing multi-satellite visibility periods is that canceling a satellite conflicting visibility period means reducing the time window in which the satellite will be tracked by the ground station. This time window reduction requires the elimination of some goals in order to fit a subset of the original goals into the new time window.

MASOP architecture identifies multi-satellite conflicting tracking periods and generates a control plan for each satellite. For plan generation, it reasons whether or not there is sufficient time to achieve all the tracking goals and allows disconsidering goals in case of insufficient time (when a time window reduction occurs).

* Doctorate student, Applied Computing Postgraduate Program (CAP), Av. dos Astronautas 1758 Jd. Granja, adcarnie@lac.inpe.br.

† Doctorate student, Applied Computing Postgraduate Program (CAP), Av. dos Astronautas 1758 Jd. Granja, ancarnie@lac.inpe.br.

‡ Doctor researcher, Satellite Control and Tracking Center (CRC), Av. dos Astronautas 1758 Jd. Granja, mauricio@ccs.inpe.br.

§ Doctor researcher, Applied Mathematics and Computing Associated Laboratory (LAC), Av. dos Astronautas 1758 Jd. Granja, demisio@lac.inpe.br.

¶ Master researcher, Ground System Department (DSS), Av. dos Astronautas 1758 Jd. Granja, luciana@dss.inpe.br.

Satellite control plans, named Flight Operation Plans (FOP), contain all the operations related to the control of in-orbit satellites. FOP generation requires that these operations be inserted at specific instants of time in order to achieve the satellite tracking goals. These goals comprise, for instance, calibration measure execution, telemetry reception, telecommand sending, and distance and speed measure execution.

The following section relates some fundamental concepts of the Artificial Intelligence planning area with the satellite control domain and presents an overview of MASOP architecture. Section 3 describes the MASOP architecture agents responsibilities whereas Section 4 presents the architecture general behavior. Following a discussion of related research in Section 5, the paper concludes in Section 6 with a summary of this work contributions.

II. Multi-agent Planning Architecture

Planning problems involve a set of initial states, a set of goals and the corresponding actions that contribute to achieve these goals. A planner agent is an agent responsible for solving planning problems. This type of agent represents a planning problem by propositional/first-order representations that allow effective heuristic derivations and the development of planning algorithms (planners) used to plan a sequence of actions whose execution will lead to the desired goals.

The representation of planning problems has been a concern since 1971 when Fikes and Nilsson developed the STRIPS language². From this time on, other researchers have proposed planning problem representation languages based on STRIPS aiming at developing a more expressive language for real planning problems.

In 1998, the Artificial Intelligence Planning groups made an attempt to standardize a language for real planning problem description proposing PDDL – Planning Domain Description Language^{3, 4}. PDDL has been used as the standard language in international planning competitions allowing planning problems to be represented in a comparable notation and planner performance to be evaluated.

In its version 2.2, PDDL currently allows planning problem modellers to specify actions with duration and deterministic unconditional exogenous events, which are facts that will become true or false at time points that are known to the planner in advance, independently of the actions that the planner chooses to execute. These two features are very important for the generation of Flight Operation Plans due to the fact that space operations have duration and must be adjusted to the well-defined time windows of the satellite tracking periods.

PDDL separates the description of parameterized actions (planning domain behavior) from the description of the initial conditions and the goals to be achieved (problem instance). Therefore, PDDL distinguishes the Planning Domain Description from the Problem Description that together represent a planning problem. By separating these definitions, PDDL allows the same Planning Domain Description to be used by several different Problem Descriptions in order to produce different planning problems for the same planning domain.

A Planning Domain Description file contains the domain types, functions, predicates and actions. An action is associated to a precondition and an effect which are conjunctions of literals that declare the environment states before and after the action execution, respectively. An action may also be assigned an execution duration.

A Problem Description file contains the objects present in the problem instance, the initial states and the goals.

Fig. 1 illustrates a planner agent that uses PDDL for specifying planning domains and problems. The planner agent uses some planning algorithm to generate plans for goal achievement.




Figure 1. Planner agent

In the satellite control domain, a planning action consists of a space operation that is concerned either with the control of satellite on-board equipments status or with obtaining the satellite exploitation expected products. Planning goals are represented by tracking goals to which we propose the assignment of priorities according to their execution relevance in the domain. Fig. 2 illustrates MASOP architecture.




Figure 2. Multi-Agent Ground-operation Automation architecture (MASOP architecture)

III. MASOP Architecture Agents

The following sub-sections describe the MASOP architecture agents responsibilities.

A. Problem Generator Agent (PGA)

This agent is responsible for generating the PDDL Problem Description file for each satellite pass⁸. It senses the satellite control environment through the following perceptions: a Configuration Database, Pass Visibility Prevision files (PVP files) and the PDDL Planning Domain Description file.

The Configuration Database contains all the satellites and ground stations configuration parameters. These parameters are not specific to a satellite tracking but are applied to ground stations and satellites in general. A Pass Visibility Prevision file contains data about the future passes of one satellite to a specific ground station. This plan is generated by the Flight Dynamics System which is an external system to MASOA architecture that provides, for instance, predictions about the ground antenna pointing data.

Once having the above information, the Problem Generator Agent automatically generates the PDDL Problem Description file for each satellite tracking period. The Problem Description file contains the satellite tracking period initial states, the deterministic unconditional exogenous events and the goals that must be achieved at the end of the tracking period.

Table 1 Problem Generator Agent schema

Agent Schema	Problem Generator Agent
Purpose	Generate the PDDL Problem Description file
Goal	Planning problem description generated
Events	Message from the Information Configuring Agent informing the ending of the pass configuration generation and Message from the Goal Prioritizing Agent informing the ending of the goal prioritizing process. The Problem Generator Agent only receives this message for the satellite tracking periods that were previously reduced by the Tracking Planner Agent or for the ones that are the first/last pass of a satellite sequential pass group
Resources	Pass Configuration Data, the Planning Domain Description file and goal priorities. The Pass Configuration Data provides the Problem Generator Agent data that are specific to a satellite pass. The Planning Domain Description file is defined by the Domain Generator Agent (a human agent) and describes the satellite control planning domain. It contains the set of elements necessary to model the planning domain behavior: domain types, functions, predicates, and actions. Cardoso et al. ¹⁰ proposes that predicates are classified into four categories in order to allow the Problem Description file automatic generation. These four predicate categories are: environment initial states, intermediate states, exogenous events and goals. The Domain Generator Agent generates the Planning Domain Description file according to this proposal, i.e. it classifies the set of predicates into these four categories and inserts labels into the Planning Domain Description file to associate predicates to their respective category.
Task Workflow	<ul style="list-style-type: none">- Retrieve from the Planning Domain Description file a set of predicates that belongs to a specific category- Considering this set of predicates, compare each element (predicate) to the Pass Configuration Data generated by the Information Configuring Agent. A predicate is only inserted into the Problem Description file when it satisfies the restrictions imposed by the Pass Configuration Data- Insert the predicates that satisfy the Pass Configuration Data restrictions into the Problem Description file- For the goal category, compare each element (goal predicate) to the Pass Configuration Data generated by the Information Configuring Agent and the set of goal priority values- Insert the goal predicates that satisfy the Pass Configuration Data restrictions and have normal or high priority values into the Problem Description file. Normal priority goals are inserted only when there is sufficient time for the goal achievement in the satellite tracking period.- Insert a derived predicate only when the entire set of its basic predicates were already inserted.

B. Tracking Planner Agent (TPA)

This agent generates Tracking Plans (TP) that define which satellites can be tracked by a ground station, the order they can be tracked and the tracking duration.

The time window a satellite can be really tracked is named the satellite tracking period which may comprise its whole visibility period or just a portion of it. A satellite tracking period comprises just a portion of its visibility period when the visibility period of a second satellite conflicts with that of the first one. In this case, the tracking period of the satellite with less priority is reduced to avoid time conflict.

So, TPA manages the problem of multi-satellite tracking with conflicting visibility periods (concerning the same ground station) by cancelling or shortening the tracking of the satellite with less priority.

TPA also applies other criteria to define the sequence of satellites to be really tracked. The restrictions imposed by these criteria are: (i) the tracking of satellites with visibility periods shorter than a pre-defined duration are not considered; (ii) when a satellite is visible to two or more ground stations simultaneously, it must be tracked by the ground station with the highest priority; and (iii) there must be a minimal time interval between the end of a satellite tracking and the beginning of the tracking of another one.

Table 2 Tracking Planner Agent schema

Agent Schema	Tracking Planner Agent
Purpose	Schedule the tracking of a set of satellites to a set of ground stations
Goal	Multi-satellite tracking periods defined
Events	End of the Pass Visibility Prevision file generation for the concerning set of satellites and ground stations (by FD System)
Resources	Pass Visibility Prevision (PVP files) Database and Configuration Database. A PVP file is generated for a period of 07 consecutive days for a specific ground station and satellite. It provides the Tracking Planner Agent the date and the AOS (Acquisition of Signal) and EOS (End of Signal) times for the satellite passes over the ground station during the one-week period. The Configuration Database provides the Tracking Planner Agent the satellite and ground station priorities and the minimal duration that a satellite pass must have to be tracked
Task Workflow	<ul style="list-style-type: none">- Retrieve from the PVP Database the PVP files of a specific ground station for a pair of distinct satellites for the same one-week period- For each PVP file, calculate the satellite pass durations. The satellite passes are represented by different orbit numbers- Compare the satellite pass durations with a minimal time value retrieved from the Configuration Database. This minimal time value represents the minimal duration that a satellite pass must have to be tracked- If the satellite pass duration is lower than this minimal time value, cancel satellite tracking due to short duration. Otherwise, schedule the satellite pass to be tracked- Retrieve the satellite priorities from the Configuration Database- Compare a pair of PVP files (from different satellites for the same ground station) to verify if some time conflict arises between two passes- If a time conflict occurs, cancel the pass conflicting part of the least priority satellite- For a reduced tracking pass, compare the satellite tracking duration with the minimal time value retrieved from the Configuration Database- If the satellite tracking duration is lower than this minimal time value, cancel satellite tracking due to short duration. Otherwise, schedule the satellite reduced tracking pass to be tracked- Store the satellite orbit numbers that identify the reduced tracking passes, the multi-satellite tracking order concerning a ground station, and the satellite tracking dates and initial and final times.

C. Flight Operation Planner Agent (FOPA)

This agent is responsible for generating the Flight Operation Plan (FOP) which contains satellite control operations (planning actions) to be executed by an executor agent during the satellite tracking period. FOPA generates a Flight Operation Plan for each satellite to be tracked by a specific ground station antenna. The general goal is to ensure in-orbit satellites are operating accordingly and are obtaining the desired users' requests.

FOPA has as input the Planning Domain and Problem Description files, written in PDDL 2.2. For plan generation, it uses the temporal planner LPG-TD⁹ as its reasoning mechanism.

Table 3 Flight Operation Planner Agent schema

Agent Schema	Flight Operation Planner Agent
Purpose	Generate the Flight Operation Plan (FOP)
Goal	Flight Operation Plan (FOP) generated
Events	End of the PDDL Problem Description file generation (by Problem Generator Agent)
Resources	PDDL Domain Description file and the PDDL Problem Description file The Domain Description file is defined by the Domain Generator Agent (a human agent) and provides the FOP Agent the set of domain types, functions, predicates, and actions about the satellite control planning problem. The Problem Description file is defined by the Problem Generator Agent and provides the FOP Agent the objects, initial states, exogenous events, and goals of a specific satellite pass over a specific ground station.
Task Workflow	<ul style="list-style-type: none"> - Obtain from the Domain Generator Agent the PDDL Domain Description file name - Obtain from the Problem Generator Agent the PDDL Problem Description file name - Invoke the LPG-TD planner algorithm to generate the plan providing it both PDDL files

D. Goal Prioritizing Agent (GPA)

This agent acts when a satellite tracking period is reduced in order to avoid time conflict with another satellite. In this case, the satellite tracking period is generally not enough to execute all the original goals previously defined in the PDDL Problem Description file which was generated by the Problem Generator Agent (PGA).

The Goal Prioritizing Agent makes possible, by attributing priorities to goals, to consider solely the most relevant goals for the Flight Operation Plan generation. The aim is to consider solely the most important goals for the planning process so that the planning actions can fit into the short-time tracking period.

In order to implement this solution, each goal must be annotated with a priority which comprises a symbolic value that might be changed from one satellite tracking to another, to better specify the need for the goal execution in the next tracking period.

Table 4 Goal Prioritizing Agent schema

Agent Schema	Goal Prioritizing Agent
Purpose	Prioritize goals in order to generate a plan
Goal	Goals prioritized
Events	Message from the Tracking Planner Agent informing the occurrence of an exceptional situation: a satellite tracking period reduction performed to avoid time conflict with another satellite or the first/last pass of a satellite sequential pass group.
Resources	The Configuration Database. The Configuration Database provides the Goal Prioritizing Agent the goal priorities.
Task Workflow	When a satellite tracking period is a reduced one or the first/last pass of a satellite sequential pass group: <ul style="list-style-type: none"> - add new high priority goals to the set of goal predicates retrieved from the Planning Domain Description file (previously generated by the Domain Generator Agent). The addition of these new goals makes them be further considered by the Problem Generator Agent for the Problem Description file generation (tracking goal generation) - decrease goal priorities to the low level so that these predicates will no longer be considered by the Problem Generator Agent for the Problem Description file generation (tracking goal generation).

IV. MASOP Architecture Behavior

Considering the Configuration Database, the PVP files and the PDDL Planning Domain Descriptions as input, the Problem Generator Agent (PGA) generates a PDDL Problem Description file for each specific satellite tracking. In parallel, the Tracking Planner Agent (TPA) obtains from the PVP Database all the satellites visibility periods initial and ending times for a specific ground station.

Once having this information, this agent compares the several satellites initial and ending times, reducing the least priority satellite tracking period when some intersection occurs. The satellite tracking periods that have their time window reduced are annotated with the flag *reduced* to sign it.

After performing its task, the Tracking Planner Agent (TPA) communicates with the Goal Prioritizing Agent (GPA) providing the sequence of satellites to be tracked by a specific ground station and the several satellite tracking periods annotated with the flag *reduced* when this is the case.

At first, the GPA checks for the reduced flag in each satellite tracking period. Secondly, for the satellite tracking periods annotated with this flag, the GPA selects the least priority goal to be eliminated from the PDDL Problem Description file in a third step. These three tasks are performed by the Goal Prioritizing Agent sub-components named Tracking Reduction Checker, Goal Selector, and Goal Editor, respectively.

Once having edited the PDDL Problem Description file to fit the most relevant goals into the satellite reduced tracking period restriction of time, FOPA finally generates a Flight Operation Plan for each satellite. The generated FOPs are hence ready for being automatically executed.

V. Related Works

Growing attention has been paid to multi-agent planning systems in Artificial Intelligence. In Ref. 10 there is a proposal close to ours due to the adoption of distributed planning agents. However, the system they propose consists of a multi-agent planning system for deep space exploration.

The authors propose a formal planning model for the planning domain description. Although the model is a valid one, they justify the need for it by pointing out the STRIPS operators deficiencies, which is solely a subset of PDDL language. PDDL was not referenced.

We consider that using PDDL or extending it when it is not sufficient to model a planning domain is a good practice since the Artificial Intelligence Planning groups are making a general effort to standardize PDDL and make it a practical planning language.

In Ref. 11 the author considers PDDL and proposes a planning framework that also adopts the temporal planning paradigm. Besides that, this framework also reasons about goals with priorities but does that in a distinct way from ours.

Coddington's framework edits the plan when there is insufficient time available to achieve all the goals. It removes from the plan a goal and all of its associated actions and constraints. But for doing that, there is the associated cost of maintaining the dependencies between actions and goals during the planning process.

In MASOA architecture, when there is insufficient time to achieve the goals (reduced tracking period), the plan is not generated thus avoiding plan editing after its generation. Instead of generating the plan and editing it afterwards, the Goal Prioritizing Agent (GPA) edits the PDDL Problem Description file (input for the planner) until there is sufficient time to achieve a subset of the original goals.

By solely editing the input for the planner, we avoid having to interfere on the planner activity to get the dependencies between actions and goals during the planning process. Therefore, in MASOA architecture the planner is considered as a black-box subcomponent with its input being adjusted to portray the varying context of the satellite control domain. The advantage of treating the planner as a black-box subcomponent is the possibility of replacing it as the Artificial Intelligence planning area evolves.

VI. Conclusions

In this paper a new multi-agent automation planning and execution architecture is proposed to the context of multi-satellite control domain. MASOP architecture automatically plans the space operations to be uplinked and downlinked regarding the restricted period of time that low Earth orbiting satellites are visible to ground stations.

MASOP architecture solves the problem of satellites with conflicting time tracking periods. When a set of satellites share the same ground station, the visibility period of one satellite may intersect with the visibility period of another one. When this situation takes place, the Tracking Planner Agent reduces the tracking period of the least priority satellite. This time period reduction means the MASOP architecture planner agent (FOPA) will not have sufficient time to achieve the entire set of original goals (planning goals).

At this point, the Goal Prioritizing Agent selects and removes goals in order to generate a plan that achieves the set of remainder goals within the reduced satellite tracking period restriction of time.

Goal priorities are defined by the satellite operator and are configurable in order to portrait the next satellite tracking requirements. So, goals disconsidered for the generation of a satellite control plan may have their priorities augmented in the next plan generation. This enables to configure the planning task to reflect the actual satellite tracking requirements.

The Goal Prioritizing Agent reasoning mechanism allows to fit the most relevant goals into the satellite reduced tracking period thus avoiding the risk of accidentally disconsidering crucial operations to the satellite control.

References

- ¹Monham, A., and Rudolph, A., “Controlled Approach to Automated Operations”, The Space Operations 2004 Conference, Montreal, Canada, 2004.
- ²Gerevini, A., Saetti, A., Serina, I., and Toninelli, P., “LPG-TD – a Fully Automated Planner for PDDL2.2 Domains”, American Association for Artificial Intelligence, Università degli Studi di Brescia, Brescia, Italy, 2004.
- ³Fox, M., and Long, D., “PDDL 2.1 – An Extension to PDDL for Expressing Temporal Planning Domains”, Journal of Artificial Intelligence Research 20, 2003.
- ⁴Edelkamp, S., and Hoffmann, J., “PDDL 2.2 – The Language for the Classical Part of the 4th International Planning Competition Technical Report”, Albert Ludwigs Universität, Institut für Informatik, Freiburg, Germany, 2004.
- ⁵Russell, S. and Norvig, P., *Inteligência Artificial*, Translation of 2nd ed., Editora Campus, 2004.
- ⁶Ferber, J., *Multi-Agent Systems – An Introduction to Distributed Artificial Intelligence*, Addison-Wesley, London, 1999.
- ⁷Weiss, G., *Multiagent Systems – a Modern Approach to Distributed Artificial Intelligence*, The MIT Press, 1999.
- ⁸Cardoso, L., Ferreira, M., Orlando, V. and Bianco, A., “Aplicação da Tecnologia de Agentes de Planejamento em Operações de Satélites”, Anais do VII Simpósio Brasileiro de Automação Inteligente, São Luís - Maranhão, 2005.
- ⁹Gerevini, A., Saetti, A., Serina, I., and Toninelli, P., “LPG-TD – a Fully Automated Planner for PDDL2.2 Domains”, American Association for Artificial Intelligence, Università degli Studi di Brescia, Brescia, Italy, 2004.
- ¹⁰Xu, R., Cui, P., Xu, X., and Cui, H., “Multi-Agent Planning System for Spacecraft”, Proceedings of the Second International Conference on Machine Learning and Cybernetics, IEEE Computer Society, Xi’an, November, 2003.
- ¹¹Coddington, A., “A Continuous Planning Framework with Durative Actions”, Proceedings of the Ninth International Symposium on Temporal Representation and Reasoning, IEEE Computer Society, 2002.